formlabs 😿

Dental SG

Photoreactive Resin for Form 2

SAFETY DATA SHEET Prepared: 04/15/2016

Revised: 04/15/2016



1. Chemical Product and Company Identification

Product Identification: Photoreactive Resin
Product Class: Mixture of methacrylic acid esters and photoinitiator
Product Use: For use in Formlabs printer Form 2
Company: Formlabs, Inc.
35 Medford Street, Suite #201

Somerville, MA

Date of Preparation: 04/15/2016

For Emergencies: North America call +1 800 255 3924 Worldwide Intl. call +01 813 248 0585 Reference Contract Number MIS47075633

2. Hazards Identification in Accordance with Hazardous Products Regulations (HPR) (SOR/2015-17)

EMERGENCY OVERVIEW

COLOR: LIGHT ORANGE PHYSICAL STATE: LIQUID ODOR: LIGHT ACRYLIC

*Classification of the substance or mixture:

Skin sensitization, Category 1 Aquatic Chronic, Category 4

GHS/CLP LABELLING

Hazard pictograms:



SIGNAL WORD: WARNING

HAZARD STATEMENTS

H317: May cause an allergic skin reaction
H319: Causes serious eye irritation
H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335: May cause respiratory irritation
H413: May cause long lasting harmful effects to aquatic life.

PRECAUTIONARY STATEMENT(S)

Prevention:

P261: Avoid breathing gas/mist/vapors/spray P264: Wash skin thoroughly after handling P272: Contaminated work clothing should not be allowed out of the workplace

P273: Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

Response:

P302 + P352: IF ON SKIN (or hair): Wash with plenty of soap and water.
P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.
P362: Take off contaminated clothing and wash before reuse.
P391: Collect spillage.

SUPPLEMENTAL HEALTH INFORMATION

Potential Health Effects:

Effects due to processing releases:

Irritating to eyes, respiratory system and skin. Prolonged or repeated exposure may cause: headache, drowsiness, nausea, weakness (severity of effects depends on extent of exposure).

Other:

This product may release fume and/or vapor of variable composition depending on processing time and temperature. Possible cross sensitization with other acrylates and methacrylates.

3. Composition/Information on Ingredient

Monomer based on methacrylic ester with low levels of stabilizer, pigments and accelerator.

Components (hazardous ingredients)	Appr. % w/w	CAS no & EINECS no.	Hazard statement in acc with EC1272/2008	Classification
A. Methacrylic oligomers	> 90	Proprietary	H413	Aquatic chronic
B. Phosphine oxides	< 3	Proprietary	H317; H413	Skin Sens. 1 Aquatic chronic 4

4. First-Aid Measures

Emergency Overview: This product is a light yellow colored liquid with a characteristic odor. This product may cause skin and eye irritation. The inhalation of high vapor concentration may cause a headache and nausea.

Inhalation: In case of exposure to a high concentration of vapor or mist, remove person to fresh air. If breathing has stopped, administer artificial respiration and seek medical attention.

Eye Contact: Immediately flush with plenty of clean water (under eye lids) for at least 20 minutes. Hold eyelids apart to ensure flushing. Washing within one minute of contact is essential to achieve maximum effectiveness. Seek medical attention immediately. Do not apply oil or oily ointments unless ordered by a physician.

Skin Contact: Remove contaminated clothing and rinse contact area thoroughly with soap and water. Particular attention should be paid to hair, nose, and ears, and other areas not easily cleaned. Wash clothing before reuse. If irritation develops, consult a physician.

Ingestion: If ingested, dilute with water by giving glasses of water or milk to the victim. Do not give anything by mouth if the victim is rapidly losing consciousness, is unconscious, or convulsing. Do not induce vomiting. If vomiting occurs naturally, keep airways clear. Get medical attention. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.

5. Fire-Fighting Measures

Flash Point: > 113°C Method: Closed cup Ignition Temperature: No data Lower Explosion Limit: No data Upper Explosion Limit: No data

Extinguishing Media: Use carbon dioxide or dry chemical for small fires; aqueous foam or water spray for large fires.

Special Firefighting Procedures: Firefighters should wear full protection clothing and self-contained breathing apparatus (SCBA). Thoroughly decontaminate firefighting equipment including all firefighting apparel after the incident.

Unusual Fire & Explosion: Emits irritating vapors. High temperatures, accidental impurities, or exposure to radiation or oxidizers may cause spontaneous polymerization generating heat/pressure and rupture/explosion of closed containers.

Exposure Hazard(s): Material — Irritant

6. Accidental Release Measures

Procedures of Personal Precautions: Wear adequate personal protective clothing and equipment, as outlined in Section 8.

Environmental Precautions: Contain spill to prevent spread into drains, sewers, water supplies, or soil. Avoid release into the environment. Dispose of in accordance with all applicable federal, state and local regulations.

Methods of Cleaning Up: In the event of a spill, immediately remove all sources of ignition. Cover the liquid with inert absorbent. Using appropriate personal protective equipment and non-sparking tools, contain spilled material.

Waste Disposal Method: Do not dispose of in sewers, lakes, rivers or streams. Scoop all contaminated material into compatible bottles or drums for proper disposal. Dispose of in accordance with all applicable federal, state and local regulations. National or regional provisions may also be in force.

7. Handling and Storage

Handling Precautions: User Exposure — This product should be used in well-ventilated areas. Product may cause irritation. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Wash hands with soap and water before eating, drinking, smoking, applying cosmetics, or using toilet facilities. Launder contaminated clothing before reuse. Contaminated leather articles, including shoes, cannot be decontaminated and should be destroyed to prevent reuse. Solvents should never be used to clean hands or skin because they increase the penetration of the material into skin.

Storage Precautions: Suitable — Store in a cool, dry place out of direct sun light, in opaque or amber containers. Store the containers at 10 - 25 °C (50 - 77 °F). Do not exceed 25 °C (77 °F) when in storage. Keep containers closed. Avoid ignition sources.

Expiry date: Product expiry date can be found on container label. Product is only guaranteed for use prior to this date.

Special Requirements: Do not heat containers with steam or electrical equipment. Heating this product above 150 °C (300 °F) in the presence of air may cause slow oxidative decomposition; above 260 °C (500 °F) polymerization may occur. Fumes and vapors from this thermal decomposition may be dangerous (nitrous vapors, carbon monoxide, carbon dioxide). Do not breathe fumes.

8. Exposure Controls & Personal Protection

	TWA 8 hr	TWA 8hr	HSIS	IOELVs			
Component	(mg/m³)	(ppm)	Australia	UK	ACGIH TLV	OSHA PEL	WEEL
Methacrylic oligomers	Not listed						
Phosphine oxides	1.0 (Skin)	Not listed					
Colorants and pigments	Not listed						

OCCUPATIONAL EXPOSURE LIMITS

EXPOSURE LIMITS NOTATIONS

IOELVs — Indicative Occupational Exposure Limit Values

- TWA Time Weighted Average
- OEL Occupational Exposure Limits
- PEL Permissible Exposure Limit
- TLV Threshold Limit Value
- STEL Short Term Exposure Limit
- WEEL Workplace Environmental Exposure Level by the American Industrial Hygiene Association

EXPOSURE CONTROLS

Ventilation Controls: Ensure adequate ventilation, including appropriate local extraction, to ensure that the defined occupational exposure limit is not exceeded.

Respiratory Protection: Respirators are generally not needed under normal conditions of use. If this material is handled at elevated temperature, under mist forming conditions or in case of accidental release of large quantities of product use a full- face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Protective Gloves: Wear impervious gloves (nitrile or neoprene) for routine handling.

Eye and Face Protection: Chemical splash goggles or a face shield is recommended during operations where splashing could occur.

Skin Protection: Avoid all skin contact. Depending on the conditions of use, cover as much of the exposed skin area as possible by wearing gloves, aprons, long pants, and long sleeved shirts.

Other Controls: For operations where contact can occur a safety shower and eye wash facility should be available. Always use good personal hygiene and housekeeping practices. Wash hands thoroughly after handling.

Environmental Exposure Controls: Keep product from waterways and watersheds. This substance is not readily biodegradable and is dangerous for the environment. Avoid release into the environment.

9. Physical & Chemical Properties

Appearance: Liquid, light yellow color Odor: Ester like

	Value	Unit
Specific Gravity	1.12	g/cm ³
Boiling Point	> 100	°C
Melting Point	n/a	°C
Flash Point	n/a	°C
Flammable limits (lower)	n/a	%v/v
Auto Ignition Temperature	430	°C
Explosive properties	n/a	
Oxidising properties	n/a	
Lower Exposure Limit	no data	
Upper Explosion Limit	no data	
рН	n/a	
Viscosity	800 – 1500	mPa*s
Solubility	Good solubility with most organic solvents	
Water solubility	Slightly soluble	

Vapour Pressure: Not established Solubility in Water: Only slightly soluble Solubility in Organic Solvents: Soluble in organic solvents Volatile Characteristics: Negligible Electrostatic Discharge: Safe Electric Conductivity: Dielectric

10. Stability and Reactivity

Stability: Stable when stored in original container designed for use with light sensitive materials under 25 °C (77 °F) in dark, cool place.

Conditions to Avoid: Storage > 25 °C (77 °F), exposure to light, loss of dissolved air, and contamination with incompatible materials.

Incompatible Materials to Avoid: Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

Hazardous Decomposition Products: Hazardous decomposition products may include oxides of carbon, nitrogen and various hydrocarbon fragments.

Hazardous Polymerization: Hazardous polymerization may occur. Uncontrolled polymerization may cause rapid evolution of heat and increase in pressure that could result in violent rupture of sealed storage vessels or containers.

11. Toxicological Information

Acute toxicity:

Acute Oral Toxicity (rat) LD50 >2000 mg/kg body weight Acute Dermal Toxicity (rat) LD50 >2000 mg/kg body weight

Inhalation: Irritating to respiratory system. High atmospheric concentrations may lead to irritation of the respiratory tract, dizziness, headache and anaesthetic effects.

Skin contact: May cause sensitation by skin contact. Irritating to skin, Repeated and/or prolonged contact may cause dermatitis.

Eye contact: High vapour concentration may cause irritation.

Ingestion: Low oral toxicity, but ingestion may cause irritation of the gastrointestinal tract.

12. Ecological Information

Keep product from waterways and watersheds. This substance is not readily biodegradable. Dispose of in accordance with all applicable federal, state and local regulations.

Methacrylic oligomers	May be harmful to various species of fish, algae and water microorganisms. Aquatic chronic 4		
Phosphine oxides	May be harmful to various species of fish, algae and water microorganisms. Aquatic chronic 4		

13. Disposal Considerations

Dispose of in accordance with governmental regulations (community, national or regional). Contact a licensed professional waste disposal service to dispose of this mixture. As with all foreign substances, do not allow to enter storm or sewer drainage systems. Avoid release into the environment

Contaminated Packaging: Dispose of as unused product. Expose the open emptied container to light, then dispose.

14. Transport Information

Department of transportation classification: Not hazardous by D.O.T. regulations D.O.T. proper shipping name: Not regulated International Maritime Dangerous Goods Code (IMDG): Not regulated International Air Transportation Association (IATA): Not regulated Other requirements: N/A ADR: Not regulated Australian HazChem Code: N/A

15. Regulatory Information



EC Classification: IRRITANT, SENSITIZING AND HARMFUL

Hazard Symbol: Xi: Irritating

Health Phrases:

H315: Causes skin irritation

H317: May cause an allergic skin reaction

H319: May cause serious eye irritation

H335: May cause respiratory irritation

H413: May cause long lasting harmful effect to aquatic life

High atmospheric concentrations may lead to irritation of the respiratory tract and anaesthetic effects.

Repeated and/or prolonged contact may cause dermatitis

The following provides a summary of the legal requirements.

EUROPEAN ECONOMIC COMMUNITY (EEC)

CANADA REGS

Ingredient	EPA* TSCA	CA Prop 65	EINECS	European Community Standards	Listed as dangerous chemicals per ESIS	EC 1272/2008	DSL	NDSL
Methacrylic oligomers	Yes	No	Yes	None	No	H413	No	Yes
Phosphine oxides	Yes	No	Yes	None	No	H317;H413	No	Yes

All the components present in this product at concentrations equal to or greater than 0.1% are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

FULL TEXT OF ANY R-PHRASES AND S-PHRASES:

Risk Phrases:

R36/37/38 — Irritating to eyes, respiratory system and skin R43 — May cause sensitization by skin contact

Safety Phrases:

S3 — Keep in a cool place

S7/9 — Keep container

- S20 When using do not eat or drink
- S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice
- S29 Do not empty into drains
- S36 Wear suitable protective clothing
- S37/39 Wear suitable gloves and eye/face protection

SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

Pursuant to Title III of the Superfund Amendments and Reauthorization Act of 1986, (SARA) and 40 CFR 372 Part 372, this product does not contain chemicals subject to the reporting requirements under Section 313.

California Proposition 65: This product does not contain chemicals which are known to the state of California to cause cancer.

16. Other Information

HMIS (Hazardous Materials Information System) for secondary labelling:

HEALTH	2
FIRE HAZARD	1
REACTIVITY	1
PERSONAL PROTECTIVE EQUIPMENT	GLOVES AND PROTECTIVE GLASSES

REFERENCES:

1. 2011 Threshold Limit Values and Biological Exposure Indices. American Conference of Governmental Industrial Hygienists.

- 2. MSDS + Cheminfo CD-ROM, Canadian Centre for Occupational Health and Safety
- 3. SAX'S Dangerous Properties of Industrial Materials, Tenth Edition
- 4. TSCA & SARA Title III, U.S. Environmental Protection Agency and the National Technical Information Services
- 5. Raw Material Manufacturers Material Safety Data Sheets
- 6. US National Institute of Medicines Toxnet current edition
- 7. ESIS: European Chemical Substance Information System, http://ecb.jrc.it/esis
- 8. NOHSC Hazardous Information Substances Information System, Department of Employment and Workplace Relations, Australian Government, 2005

To the best of our knowledge the information contained herein is accurate. However, Formlabs, Inc. makes no warranty, expressed or implied, regarding the accuracy of these results to be obtained from the use thereof. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Formlabs, Inc. assumes no responsibility for injury from the use of the product described herein.